

Tender Inviting Authority: Superintending Engineer Electricity Civil Distribution Circle, PVVNL, Meerut.

Name of Work: Construction of 02 Nos. Toilets at Electricity Distribution Circle-II, Ghanthaghar, Saharanpur.

T.S. No: 06/ECDC/MRT/2021-22

Name of the Bidder/
Bidding Firm /
Company :

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With Taxes	TOTAL AMOUNT In Words
1	2	3	4	5	5A	7
1	Excavation in foundation in ordinary soil (loam, clay or sand) including lift upto 1.5 Metre and lead upto 30 metre including filling, watering, and ramming of excavated earth into the trenches or into the space between the building and the side of the foundation or in to the plinth and removal & disposal of surplus earth as directed by the E/I up to a distance of 30m from the foundation trenches. CSI No. 4.01	4.00	Cum	171.00	684.00	INR Six Hundred & Eighty Four Only
2	Earth filling under floors including cost of the earth when obtained from outside Corporation's area including its carriage, loading/unloading, spreading, watering and ramming in 20 cm layers and dressing of earth etc. Rates including cost of earth, labour, T&P and ROYALTY of earth etc. required for proper completion of the work. CSI No. 4.10	1.00	Cum	389.00	389.00	INR Three Hundred & Eighty Nine Only
3	Concrete with 4cm gauge down graded Stone ballast, coarse sand (F.M. 1.5 to 2.5) and cement in proportion of 12:6:1 in foundation and under floors and supply of all materials, labour, tools and plants etc. required for proper completion of the work. CSI No. 5.01	1.00	Cum	4663.00	4663.00	INR Four Thousand Six Hundred & Sixty Three Only
4	Cement concrete with 2cm gauge down stone ballast, coarse sand and cement in the proportion 4:2:1 for grouting of hold fasts, roof treatment and other similar works incl. cost of all material, labour & T&C complete as per direction of E/I. CSI No. 5.03	1.00	Cum	6088.00	6088.00	INR Six Thousand & Eighty Eight Only
5	RCC work with cement, approved coarse sand and 2cm (3/4") gauge approved stone ballast in the proportion of 1:2:4 in the lintels or bends and sun shade of doors and windows excluding supply of reinforcement and its bending but including its cutting, fixing and binding the same with 24 B.W.G. I wire including necessary centering and smooth shuttering etc. required for proper completion of work including supply of all material, binding wire, labour and T&P etc. CSI No. 5.07	0.50	Cum	8208.00	4104.00	INR Four Thousand One Hundred & Four Only
6	As in item no 05 above but R.C.C. Raft foundation and footing. CSI No. 5.13	0.50	Cum	7188.00	3593.00	INR Three Thousand Five Hundred & Ninety Three Only
7	1st class brick work in 1:6 cement and coarse sand of 2.25 F.M. mortar in foundation and plinth including supply of all material, labour and T&P etc. required for proper completion of work. CSI No. 6.01	0.60	Cum	4312.00	2587.20	INR Two Thousand Five Hundred & Eighty Seven and Paise Twenty Only
8	1st class brick work in 1:6 C.M. with cement and coarse sand of 2.25 F.M. mortar in super structure including necessary cutting and moulding of brick as required including honey comb brick work, thickness of wall one brick (230mm) thick in super structure. CSI No. 6.01+6.06	1.20	Cum	4815.00	5778.00	INR Five Thousand Seven Hundred & Seventy Eight Only

Devendra
JE

SDO (AC)

E.E

9	Add for extra labour in item no. 07 as above but for wall of half brick 4.5" (115mm) thick in super structure. CSI No. 6.07	0.50	Cum	629.00	314.50	INR Three Hundred & Fourteen and Paise Fifty Only
10	25mm thick Damp proof course with cement concrete consisting of 1 part cement, 1½ parts approved coarse sand and 3 parts approved 13mm (1/2") down graded stone grit including S/M water proofing liquid compound (Preferably RECRON 3Sor Dr.Fixit) as directed by the Engineer-in-charge mixed in proportion as specified by the manufacturer. CSI No. 7.01	2.00	Sqm	314.00	628.00	INR Six Hundred & Twenty Eight Only
11	Supply and fixing stainless steel Mosquito proof heavy quality iron wire mesh of 15×28 Gauge over windows including supply and fixing of necessary steel screws and cost of all materials, labour and T&P etc. required for proper completion of work. CSI No. 8.15 (A)	5.00	Sqm	548.00	2740.00	INR Two Thousand Seven Hundred & Forty Only
12	Supply and Fixing of aluminium fittings with screw for doors and windows etc. (a) L-Drop 16 mm dia 12" long CSI No. 8.23 (a)	2.00	Nos	203.00	406.00	INR Four Hundred & Six Only
13	Same as item No. 12 above but for (c) L-Drop 16 mm dia 8" long CSI No. 8.23 (c)	2.00	Nos	152.00	304.00	INR Three Hundred & Four Only
14	Same as item No. 12 above but for (e) Tower bolt 8" long CSI No. 8.23 (e)	2.00	Nos	76.00	152.00	INR One Hundred & Fifty Two Only
15	Same as item No. 12 above but for (g) Handle 6" long CSI No. 8.23 (g)	2.00	Nos	51.00	102.00	INR One Hundred & Two Only
16	Same as item No. 12 above but for (g) Stopper with rubber pad CSI No. 8.23 (i)	2.00	Nos	51.00	102.00	INR One Hundred & Two Only
17	Supply and fixing 30mm thick of single leaf flush doors commercial quality conforming to I.S. 2202 part-I (1983) including fixing of wooden cleats and stoppers including cost of all materials labour, & T&P etc. required for the proper completion of the work. CSI No. 8.24 (a)	4.50	Sqm	1465.00	6592.50	INR Six Thousand Five Hundred & Ninety Two and Paise Fifty Only
18	Mild steel or iron work in heavy large size sections such as trusses, built-up gates, roof work, window/boundary grill or railing, trench covers, grating etc. wrought to required form including supply of steel bolts, nuts, wastage etc. and their fixing charges, welding, required for proper completion of the work incl. cost of all material, labour and T&P etc. CSI No. 9.02	0.01	M.T	74360.00	743.60	INR Seven Hundred & Forty Three and Paise Sixty Only
19	Mild steel or iron in plain work such as reinforced concrete or reinforced brick work (when not including in over all rates) wrought to required shape as necessary including bending for proper completion of the work and including supply of steel its wastage, bend, hooks authorized overlapping as required for proper completion of the work. CSI No. 9.04	0.01	M.T.	70322.00	703.22	INR Seven Hundred & Three and Paise Twenty Two Only
20	Supply and fixing of welded mesh of approved quality and size as approved by E/I, over M.S.Angle frame with M.S. flat, nuts & bolts or welding as required, Rate including cost of all material, labour and T&P etc. required for proper completion of work. (Excluding cost of M.S.Angle frame with M.S. flat) CSI No. 9.16	8.50	Kg	85.00	722.50	INR Seven Hundred & Twenty Two and Paise Fifty Only
21	12mm thick plaster with cement mortar of 1 part cement & 6 parts of approved coarse sand 2.5 F.M. over Brick work, min. thickness not less than 10mm including supply all material, labour and T&P required for proper completion of work CSI No. 11.06	40.00	Sqm	161.00	6440.00	INR Six Thousand Four Hundred & Forty Only
22	Add for extra labour and materials for plaster over rough face of one brick thick wall. CSI No. 11.09	20.00	Sqm	22.00	440.00	INR Four Hundred & Forty Only
23	2cm (3/4") thick cement plaster in dado or skirting in 1:2 mix, consisting of one part of cement and two parts of approved coarse sand laid in panels finished with 3mm (1/8") floating coat of neat cement or cement and marble dust in ratio of 5:1 including supply of all materials, labour and T&P etc. required for proper completion of work. CSI No. 11.10	5.00	Sqm	236.00	1180.00	INR One Thousand One Hundred & Eighty Only

Devendra Arya
JE

Subit
(SOP)

(AC)

Ma
E.E

24	Rendering, smoothening and proper finishing with cement mortar/slurry (mortar 1:2 cement and coarse sand) in horizontal and vertical surface of foundations/roof etc. as per direction of E/I including supply of all material labour and T&P etc. required for proper completion of work. CSI No. 11.16	3.00	Sqm	152.00	456.00	INR Four Hundred & Fifty Six Only
25	3mm thick neat cement floating coat including cost of all material labour, and T&P etc. required for proper completion of work. CSI No. 11.17	3.00	Sqm	23.00	69.00	INR Sixty Nine Only
26	40mm thick cement concrete floor 1:2:4 ratio with cement, approved coarse sand and 20mm graded stone aggregate laid in panels finished with 3mm floating coat of neat cement, including cost of all materials, labour and T&P required for proper completion of work but excluding cost of base concrete. CSI No. 12.02	5.00	Sqm	357.00	1785.00	INR One Thousand Seven Hundred & Eighty Five Only
27	S/F 6 or 8 mm thick glazed/matt finish tiles SOMANI or equivalent approved quality and size upto 400x400 in floor, skirting or dado laid with 1:3 cement and coarse sand mortar and joints finished with white cement including polishing etc. complete including supply of all materials, labour and T&P etc. required for proper completion of work. CSI No. 12.07	20.00	Sqm	929.00	18580.00	INR Eighteen Thousand Five Hundred & Eighty Only
28	S/F 10mm thick glazed/matt finish Standard quality Vitrified tiles of size 600x600 or more of approved company like RAK, JOHNSON, SOMANY or equivalent make of approved shade, colour and pattern as directed by E/I in floor, skirting or dado laid with 1:3 cement and coarse sand mortar, finished with white cement and pigment to match the tiles shade etc. complete including supply of all materials, labour and T&P etc. required for proper completion of work. CSI No. 12.11	10.00	Sqm	1411.00	14110.00	INR Fourteen Thousand One Hundred & Ten Only
29	Painting or varnishing on iron works in small areas of new wood work with one coat of ready mixed priming paint and one coat of approved superior quality ready mixed paint of clear synthetic varnish including supply of all materials, labour and T&P etc. required for proper completion of the work. Paint to be used should conform to the ISI no. 103-1950. CSI No. 13.01	25.00	Sqm	69.00	1725.00	INR One Thousand Seven Hundred & Twenty Five Only
30	Same as in item 29 but for every coat after 1st coat. CSI No. 13.02	25.00	Sqm	32.00	800.00	INR Eight Hundred Only
31	Same as item No. 29 but for every coat on previously painted old wood or steel work. CSI No. 13.03	20.00	Sqm	45.00	900.00	INR Nine Hundred Only
32	Applying BIRLA PUTTY or equivalent putty on new interior or exterior surface over one coat of water base cement primer of ICI or equivalent brand for smoothening and leveling of the surface as per requirement and direction of E/I, including cost of all material, labour and T&P required for proper completion of work. CSI No. 13.04	10.00	Sqm	88.00	880.00	INR Eight Hundred & Eighty Only
33	Applying BIRLA PUTTY or equivalent putty on OLD interior or exterior surface after cleaning the old painted surface as per requirement and direction of E/I, including cost of all material, labour and T&P required for proper completion of work. CSI No. 13.05	10.00	Sqm	54.00	540.00	INR Five Hundred & Forty Only
34	One priming coat & one coat synthetic/acrylic distemper on new work including supply of all materials, labour and T&P etc. required for proper completion of the work. CSI No. 13.09	10.00	Sqm	24.00	240.00	INR Two Hundred & Forty Only
35	Same as item No. 34 but for every coat after the first coat. CSI No. 13.10	10.00	Sqm	18.00	180.00	INR One Hundred & Eighty Only
36	Same as item No. 34 but for every coat on previously old distempered surface. CSI No. 13.11	25.00	Sqm	33.00	825.00	INR Eight Hundred & Twenty Five Only

Devendra Prasad
JE

Subit
(SOS)

AEI

E.E

37	Applying P.O.P plaster with minimum 6mm to 10mm thick plaster of paris putty on plastered surface of walls/ceilings for smooth finish including its preparation of surface for painting by applying oil based primer and chalkputty over P.O.P plaster. Rates including cost of all labour, material, T & P etc. required for proper completion of work. CSI No. 13.17	5.00	Sqm	112.00	560.00	INR Five Hundred & Sixty Only
38	Dismantling Plastered or unplastered brick work or stone masonry work in lime or cement mortar and including stacking of materials as directed by Engineer-in-charge within a distance of 60 meters. CSI No. 15.01	1.00	Cum	420.00	420.00	INR Four Hundred & Twenty Only
39	Dismantling reinforced cement concrete or reinforced brick work or Cement Concrete. including stacking of dismantled material as directed by the Engineer-in-charge within a distance of 60 metres. CSI No. 15.02	1.00	Cum	1020.000	1020.00	INR One Thousand & Twenty Only
40	Dismantling cement concrete of brick or granolithic floor, including base concrete as and where required including stacking of dismantled material as directed by Engineer-in-charge within a distance of 60 meters. CSI No. 15.03	8.00	Sqm	48.000	384.00	INR Three Hundred & Eighty Four Only
41	Dismantling existing plaster including disposal of refuse as directed by the Engineer-in-charge within a distance of 60 meters. CSI No. 15.06	15.00	Sqm	34.000	510.00	INR Five Hundred & Ten Only
42	Wiring point for light with 1.5 sq. mm. FR PVC insulated multistrand single core copper conductor cable in PVC conduit pipe concealed in the wall, 14 SWG copper PVC coated Earth continuity wire, and approved quality, piano type switch ceiling rose/angle/batten holder as per approved sample on 3mm thick phenolic laminated bakelite sheet etc. of matching shade with wall colour complete in all respects. CSI NO.21.01	3.00	Nos	520.00	1560.00	INR One Thousand Five Hundred & Sixty Only
43	Wiring point for two way light with 1.5 sq. mm FR PVC insulated multistrand single core copper conductor cable in PVC conduit pipe concealed in the wall, 14 SWG copper earth continuity wire and two numbers two ways approved quality piano type switches & ceiling rose/angle/batten holder as per approved sample on 3 mm thick phenolic laminated bakelite sheet etc. of matching shade with wall colour complete in all respects, as per direction of E/I. CSI No. 21.02	1.00	Nos	657.00	657.00	INR Six Hundred & Fifty Seven Only
44	Wiring point for fan/fresh air fan (light duty exhaust fan) 1.5 sq. mm FR PVC insulated multistrand single core copper conductor cable PVC conduit pipe concealed in the wall, 14 SWG copper earth continuity wire and approved quality, piano type switch & ceiling rose as per approved sample on 3mm thick phenolic laminated bakelite sheet etc. of matching shade with wall colour complete in all respects as per direction of E/I. CSI NO.21.03	2.00	Nos	596.00	1192.00	INR One Thousand One Hundred & Ninety Two Only
45	Wiring point for plug with 1.5 sq. mm FR PVC insulated multistrand single core copper conductor cable in PVC conduit pipe concealed in the wall 14 SWG copper earth continuity wire and approved quality type switch and socket as per approved sample etc. of matching shade with wall colour complete in all respects as per direction of E/I. CSI NO.21.04	2.00	Nos	278.00	556.00	INR Five Hundred & Fifty Six Only
46	S/F of 6/10/16/20/25/32 Amp. MCB of approved make and as per sample approved by E/I (10KA) CSI No. 21.18	1.00	Nos	160.00	160.00	INR One Hundred & Sixty Only
47	S/F power plug 15 amp./250 volts flush type switch and 5 pin 15 Amp. 250 volts flush type Universal socket suitable in M.S. box of 175mm x 100mm x 50 mm size with sun-mica top sheet 3 mm thick mounted with cup washers and machine brass screws. (Anchor or SSK make) CSI No. 21.20	2.00	Nos	276.00	552.00	INR Five Hundred & Fifty Two Only





Devsadhyg
JE

(Soo)

(E)

E.E

48	Thorough cleaning of PVC Tank upto capacity of 1000 litres with bleaching powder and rubbing inside surface of OHT with jute and wire brush including cleaning and washing the surface with water including operation of tubewell and valves if required as per direction of E/I including cost of all materials, labour and T&P etc. required for completion of work. CSI No. 22.38 (B)	1.00	Job	190.00	190.00	INR One Hundred & Ninety Only
49	Supply and fixing of spiral type CFL tubes 11W to 15W of PHILIPS or equivalent make of approved sample and make as per direction of Engineer-in-charge CSI No. 22.68 (A)	1.00	Nos	200.00	200.00	INR Two Hundred Only
50	Providing and fixing 15mm dia B-class (T.T./Swastik make) ISI marked G.I. Pipe complete with G.I. specials as bends, tee, socket cross, clamps, etc. Earth work including filling the trenches etc. required for proper completion of the work. The rate also includes concealed G.I. fitting where required, cutting and making good the walls etc. including cost of all materials, labour T&P etc complete (Internal work). CSI No. 24.01	5.00	RM	187.00	935.00	INR Nine Hundred & Thirty Five Only
51	Same as in item No. 50 above but with 20mm dia CSI No. 24.02	5.00	RM	222.00	1110.00	INR One Thousand One Hundred & Ten Only
52	Providing and fixing 20mm dia B-class (T.T./Swastik make) ISI marked G.I. Pipe complete with G.I. specials as bends, tee, socket cross, clamps, etc. required for proper completion of the work. The rate also includes G.I. fitting where required, cutting and making good the walls etc. including cost of all materials, labour T&P etc complete (external work). CSI No. 24.11	5.00	RM	196.00	980.00	INR Nine Hundred & Eighty Only
53	Supply and fixing CP Brass bib cock 15 mm dia heavy quality CAT 0010(Royal) Sonata or equivalent make including supply of all materials labour T&P etc. required for the proper completion of the work. CSI No. 24.20	1.00	Each	1028.00	1028.00	INR One Thousand & Twenty Eight Only
54	Supply and fixing of 15 mm dia C.I./PVC bib-cock including supply of all materials labour T&P etc. required for the proper completion of the work. CSI No. 24.25	1.00	Each	105.00	105.00	INR One Hundred & Five Only
55	Supply and fixing of 15 mm dia C.P. Brass Angle valve of heavy quality /Sonata/ Coats or equivalent make including supply of all materials labour T&P etc. required for the proper completion of the work. CSI No. 24.26	3.00	Nos	805.00	2415.00	INR Two Thousand Four Hundred & Fifteen Only
56	Providing and fixing 15 mm dia C.P. Pillar cock L&K, Sonata (Round)-CAT 0060 Royal or equivalent make including supply of all materials labour T&P etc. required for the proper completion of the work. CSI No. 24.33 (A)	1.00	Nos	730.00	730.00	INR Seven Hundred & Thirty Only
57	Providing and fixing P.V.C. connection pipe 300 mm long x 15 mm dia. with brass union including supply of all materials, labour and T & P etc. required for proper completion of work. CSI No. 24.41	1.00	Each	110.00	110.00	INR One Hundred & Ten Only
58	Providing and fixing of 110 mm dia PVC pressure pipe (8 Kg/sq.cm.) for water supply mains with specials such as tee, bend socket, elbow etc. including cutting of pipe wherever necessary and including excavation of trenches (450 x 600) mm for laying the pipe line and including its back filling after testing the pipe line including watering, ramming etc. complete including disposal of surplus earth from the site up to 100m as per direction of E/I including supply of all materials labour T&P etc. required for the proper completion of the work. CSI No. 24.47 (A)	8.00	RM	361.00	2888.00	INR Two Thousand Eight Hundred & Eighty Eight Only


 DE

 (500)

 (AC)

 E.E

59	Providing and fixing first quality European type white glazed earthen ware seat ISI marked size 450mmx350mm approx. as per approved sample (Hind ware required design No. 183660 or equivalent make) including 10 litres capacity low level PVC flushing cistern as per approved sample with all accessories, Plastic seat cover with plastic lid, C.P. brass hinge and rubber buffers, 32 mm dia C.P. flush pipe with union, C.P. nozzle jet with 15 mm dia PVC connection 600 mm long including supply of all materials, labour, T&P etc. required for proper completion of the work. CSI No. 25.01	2.00	Nos	5950.00	11500.00	INR Eleven Thousand Nine Hundred Only
60	Providing and fixing white glazed "P" or "S" trap for W.C. pan over minimum 75 mm thick cement concrete in proportion of 1:6:12 including cost of cement concrete, all materials, labour, T&P etc. required for proper completion of the work. CSI No. 25.04	1.00	Each	575.00	575.00	INR Five Hundred & Seventy Five Only
61	Providing and fixing of 1st quality white glazed earthen ware wash hand basin ISI marked size 510mm x 400mm (Hindware or equivalent make) with R.S. or C.I. brackets, C.P. Brass pillar cock 15mm dia (weight not less than 400 gms) ISI marked, 32mm dia C.P. brass chain with rubber plug, 32mm dia C.P. Brass waste standard pattern with check nut, P.V.C. connection 15 mm dia including cutting and making good the walls and floor including cost of all required materials, labour and T&P etc. required for proper completion of work (Fittings to be used should be of superior quality as per approved sample) CSI No. 25.08	2.00	Each	2150.00	4300.00	INR Four Thousand Three Hundred Only
62	Providing and fixing of 1st quality white glazed earthen ware angular urinal basin for corner size 430mm x 370mm x 340 mm or squatting type 450mm x 350mm as per approved sample (Hindware or equivalent make) including C.P. brass union coupling, P.V.C. waste pipe including supply of all materials, labour and T&P etc. required for proper completion of the work. CSI No. 25.14	1.00	Nos	1550.00	1550.00	INR One Thousand Five Hundred & Fifty Only
63	Providing and fixing bevelled edge looking mirror 5 mm thick glass Indian polished (Atul or equivalent make) size: 600mm x 450mm as per approved sample with 6mm thick hard board sheet back fixed with PVC cleats & brass screws and washers including supply of all materials, labour, T&P etc. required for proper completion of work. CSI No. 25.16	2.00	Nos	930.00	1860.00	INR One Thousand Eight Hundred & Sixty Only
64	Providing and fixing C.P. Brass soap dish with brackets fixed to wooden cleats with brass screws including supply of all materials, labour, T&P etc. required for proper completion of work. CSI No. 25.23	2.00	Nos	360.00	720.00	INR Seven Hundred & Twenty Only
65	Providing and fixing 100mm. dia C.P. grating over Nahari Trap or drain holes including cost of all materials, labour and T & P etc. required for proper completion of the work. CSI No. 25.24	2.00	Nos	42.00	84.00	INR Eighty Four Only
66	Applying two coat of Dr. Fixit pidiacrete URP with cement slurry of one parts of Dr. Fixit pidiacrete URP (covering area of URP 2.00 to 2.25sqm/kg) and 1.5 parts of cement on horizontal and vertical damp surface. Before application, clean the surface with wire brush or scrubber to remove hidden dirt, loose particles, laitance and dust, degrease the surface by using suitable solvent, thoroughly saturated the surface with potable water but at the time of application water should not be accumulated at any place as per direction EN including supply of all materials, labours and T&P etc. required for proper completion of work. CSI No. 26.35	8.00	Per Sqm	158.00	1272.00	INR One Thousand Two Hundred & Seventy Two Only

Devraj Arora
JE

Forbit
SDD (AE) E-E

67	RCC work with cement, approved coarse sand and 2cm (3/4") gauge approved stone ballast in the proportion of 1:1.5:3 for Slab excluding supply of reinforcement and its bending but including its cutting, fixing and binding the same with 24 B.W.G.G.I. wire including necessary centering and smooth shuttering etc. required for proper completion of work including supply of all material, binding wire, labour and T&P etc. CSI No. 5.10	0.50	Cum	9902.00	4951.00	INR Four Thousand Nine Hundred & Fifty One Only
68	Finishing walls with 2 coat water proof exterior emulsion paint of ACE (ASIAN) or equivalent brand on already well prepared new wall /Ceiling surfaces over one coat of under coat primer (ICI) followed by One coat of ACE emulsion paint to give an even shade (0940) including thorough washing with water as per direction E/I including cost of all material, labour & T&P required for proper completion of work. NSI	25.00	Sqm	54.00	1350.00	INR One Thousand Three Hundred & Fifty Only
69	Same as above item no. 195 above but for every additional coat of water proof exterior emulsion ACE paint of approved brand and shade (0940) complete. NSI	25.00	Sqm	22.50	562.50	INR Five Hundred & Sixty Two and Paise Fifty Only
Total in Figures					137933.02	INR One Lakh Thirty Seven Thousand Nine Hundred & Thirty Three and Paise Two Only
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words		INR Zero Only				

Devroddy
DE

DA
TAC

Quint
SDD

E-E

T-A

SE